Basic Research in Cardiology

The European Journal of
Fundamental Cardiology
Archiv für Kreislaufforschung
Official Journal of the German Association of Cardiovascular Research

Editors:
G. Elzinga, Amsterdam; R. Jacob, Tübingen (Coord. Ed.); Th. Kenner, Graz

Editorial Board

H. Antoni, Freiburg i. Brsg.
E. Bassenge, Freiburg i. Brsg.
D. H. Bergel, Oxford
H. J. Bretschneider, Göttingen
D. L. Brutsaert, Antwerpen
N. S. Dhalla, Winnipeg
K. Dietz, Tübingen
A. Fabiato, Richmond
H. L. Fung, Buffalo
E. Gerlach, München
W. Hasselbach, Heidelberg
G. Heusch, Essen
W. Hort, Düsseldorf
P. G. Hugenholtz, Echichens
M. J. Janse, Amsterdam
K. J. Kako, Ottawa
H. Kammermeier, Aachen
J. C. Kentish, London
O. Kraupp, Wien
W. Kübler, Heidelberg
F. Z. Meerson, Moscow
E. Monos, Budapest
M. Nagano, Tokyo
S. Onishi, Osaka
J. Gy. Papp, Szeged
Ch. Pfeiffer, Rostock
P. A. Poole-Wilson, London
G. Riegger, Würzburg
W. Schaper, Bad Nauheim
M. C. Schaub, Zürich
St. Schiaffino, Padua
K. Schwartz, Paris
P. J. Schwartz, Milano
L. Szekeres, Szeged
H. A. Tritthart, Graz
A. Trzebski, Warszawa
G. J. van der Vusse, Maastricht
N. Westerhof, Amsterdam
R. Zak, Chicago
H.-G. Zimmer, München

Contents of Volume 86 (1991)

Steinkopff Verlag · Darmstadt

Contents of Volume 86 (1991)

Editorials

Betz E (Tübingen/FRG) Cell culture systems to study progression and inhibition of intimal proliferations 79
Lohmann SM, Fischmeister MR, Walter U (Würzburg/FRG, Paris/France) Signal transduction by cGMP in heart 503
Martorana PA, Linz W, Schölkens BA (Frankfurt/FRG) Does bradykinin play a role in the cardiac antiischemic effect of the ACE-inhibitors? 293
Werdan K, Müller U, Reithmann C, Pfeifer A, Hallström S, Koidl B, Schlag G (Munich/FRG, Vienna, Graz/Austria) Mechanisms in acute septic cardiomyopathy: evidence from isolated myocytes 411

Review

Heusch G (Essen/FRG) The relationship between regional blood flow and contractile function in normal, ischemic, and reperfused myocardium 197

Original Contributions

Akaishi M, Ikegawa T, Nishikawa Y, Yokozuka H, Handa S, Nakamura Y (Tokyo/Japan) Variations in myocardial contraction sequence under various hypoxic conditions 363
Almeida MR, Hesse A, Steinmetz A, Maasch B, Altland K, Linke RP, Gawinowicz MA, Saraiva MJM (Porto/Portugal) Transthyretin Leu 68 in a form of cardiac amyloidosis 567
Andres J, Moczarska A, Stepkowski D, Kakol I (Krakow/Poland) Contractile proteins in globally "stunned" rabbit myocardium 219
Ballagi-Pordány G, Richter J, Koltai M, Aranyi Z, Pogátsa G, Schaper W (Budapest/Hungary, Bad Nauheim/FRG) Is malondialdehyde a marker of the effect of oxygen free radicals in rat heart tissue? 266
Bernauer W (Freiburg/FRG) Post-ischemic release of nucleosides and oxypurines in isolated rat hearts 1
Björkmann J-A, Sutherland I, Gustafsson D, Sjöquist P-O, Abrahamsson T (Mölndal/Sweden) Superoxide dismutase and catalase do not improve recovery of regional myocardial contractile function when given at the time of reperfusion after reversible regional anesthetized dogs . . . 236
Boucher F, de Leiris J (Grenoble/France) Chronic administration of allopurinol fails to exert any cardioprotective effects in rats submitted to permanent coronary artery ligation 227
Brasch H (Lübeck/FRG) Influence of phorbol esters on stimulation-induced noradrenaline release and contractile force of isolated guinea-pig atria 283
Brodowicz GR, Lamb DR (Columbus, Ohio/USA) Exercise training, indomethacin, and isoproterenol-induced myocardial necrosis in the rat 40
Dierberger B, Brändle M, Gülch RW, Jacob R (Tübingen/FRG) Significance of geometrical reference models of the left ventricle for a new concept of evaluation of cardiac pumping function 186
Dierberger B, Schäch M, Anadere I, Brändle M, Jacob R (Tübingen/FRG) Effect of a diet rich in linseed oil on complex viscosity and blood pressure in spontaneously hypertensive rats (SHR) 561
Du X-J, Riemersma RA (Edinburgh/United Kingdom) Reduced neuronal noradrenaline overflow in the ischaemic rat heart: importance of the severity of coronary flow reduction 11
Dudek H, Pytkowski B (Warsaw/Poland) Effects of in vivo manganese administration on calcium exchange and contractile force of rat ventricular myocardium 515

Finckh M, Hellmann W, Ganten D, Furtwängler A, Allgeier J, Boltz M, Holtz J (Freiburg/FRG) Enhanced cardiac angiotensinogen gene expression and angiotensin converting enzyme activity in tachypacing-induced heart failure in rats 303
Fu LX, Bergh CH, Hoebeke J, Liang QM, Sjögren KG, Waagstein F, Hjalmarson A (Tours/France, Göteborg/Sweden) Effect of metropol on activity of β-adrenoceptor coupled to guanine nucleotide binding regulatory proteins in adriamycin-induced cardiotoxicity 117
Grimm F, Grimm BR, Lin H-L, Parshall FR, Tichy AM (Chicago, Illinois/USA) Left ventricular shape-luminal pressure relationship 378
Grover GJ, Parham CS, Schumacher WA (Princeton, NJ/USA) The cardioprotective effects of the thromboxane receptor antagonist SQ 30,741 are not reversed by aspirin 99
Hagar JM, Hale SL, Ilvento JP, Kloner RA (Los Angeles, CA/USA) Lack of significant effects of superoxide dismutase and catalase on development of reperfusion arrhythmias 127
Hajdu MA, Cornish KG, Wen Tan, Panzenbeck MJ, Zucker IH (Nebraska/USA) The interaction of the Bainbridge and Bezold-Jarisch reflexes in the conscious dog 175
Halmann M, Sideman S, Azhari H, Markiewitz W, Beyar R (Haifa/Israel) Dynamic analysis of left ventricular shape based on curvature function 393
Hannan RD, West AK (Tasmania/Australia) Adrenergic agents, but not triiodo-L-thyronine induce c-*fos* and c-*myc* expression in the rat heart 154
Killmann R, Wach P, Dienstl F (Graz, Innsbruck/Austria) Three-dimensional computer model of the entire human heart for simulation of reentry and tachycardia: gap phenomenon and Wolff-Parkinson-White syndrome 485
Kirstein M, Eickhorn R, Langenfeld H, Kochsiek K, Antoni H (Würzburg, Freiburg/FRG) Influence of β-adrenergic stimulation on the fast sodium current in the intact rat papillary muscle 441
Kissling G, Dierberger B (Tübingen/FRG) The effect of coronary perfusion pressure and preload on left ventricular systolic wall stress parameters 476
Klein HH, Pich S, Nebendahl K, Niedmann P, Schuff-Werner P (Göttingen/FRG) Acute treatment with vitamin E does not protect the regionally ischemic, reperfused porcine heart . 32
Kojda G, Klaus W, Werner G, Fricke U (Köln/FRG) The influence of endothelium on the action of PGF_{2a} and some dihydropyridine-type calcium antagonists in porcine basilar arteries 254
Konorev EA, Medvedeva NV, Jaliashvili IV, Lakomkin VL, Saks VA (Moscow/USSR) Participation of calcium ions in the molecular mechanism of cardioprotective action of exogenous phosphocreatine 327
Kostreva DR (Milwaukee, Wisconsin/USA) Autonomic influences on regional cardiac (^{14}C) 2-deoxyglucose uptake in paced dog heart 523
Kostreva DR, Wood JD (Milwaukee, Wisconsin/USA) Regional myocardial glucose utilization by developing fetal and maternal hearts 297
Krasny R, Kammermeier H, Köhler J (Aachen/FRG) Biomechanics of valvular plane displacement of the heart 572
Kwiatkowska-Patzer K, Domanska-Janik K (Warsaw/Poland) Increased 19 K Dalton protein phosphorylation and protein kinase C activity in pressure-overload cardiac hypertrophy . . . 402
Matsuda N, Kuroda H, Mori T (Tottori, Japan) Beneficial actions of acidotic initial reperfusate in stunned myocardium of rat hearts 317
Maxwell L, Gavin JB (Auckland/New Zealand) The role of post-ischaemic reperfusion in the development of microvascular incompetence and ultrastructural damage in the myocardium . 544
Meerson FZ, Malyshev IYU, Zamotrinsky AV (Moscow/USSR) Adaptive protection of the heart and stabilization of myocardial structures 87
Nozaki E, Watanabe J, Ninomiya M, Ishide N, Maruyama Y, Takishima T (Sendai/Japan) Different responses of left ventricular systolic function to changes in right ventricular volume and shortening – comparison between aorto-femoral vein and aorto-left atrium shunts in dog hearts 56
Ratajczyk-Pakalska E, Bloch P, Kulig A (Lodz/Poland) Angioarchitectonics of the venous vessels and morphological changes in coronary heart disease 554
Ravingerová T, Styk J, Trégerová V, Pancza D, Slezák J, Tribulová N, Ziegelhöffer A, Pissarek M, Szekeres L (Bratislava/ČSFR, Leipzig/FRG, Szeged/Hungary) Protective effect of 7-oxo-prostacyclin on myocardial function and metabolism during post-ischemic reperfusion and calcium paradox 245
Röth E, Török B (Pécs/Hungary) Effect of the ultrashort acting β-blocker Brevibloc on free-radical-mediated injuries during the early reperfusion state 422
Rudin M, Pedersen B, Umemura K, Zierhut W (Basel/Switzerland) Determination of rat heart-morphology and function in vivo in two models of cardiac hypertrophy by means of magnetic resonance imaging 165

Sans-Coma V, Arqué JM, Durán AC, Cardo M, Fernández B (Malaga/Spain) Coronary artery anomalies and bicuspid aortic valves in the Syrian hamster 148
Schulz R, Janssen F, Guth BD, Heusch G (Essen/FRG) Effect of coronary hyperfusion on regional myocardial function and oxygen consumption of stunned myocardium in pigs 534
Siminiak T, Wysocki H, Veit A, Maurer HR (Poznan/Poland) The effect of selected antiarrhythmic drugs on neutrophil free oxygen radicals production measured by chemiluminescence . . . 355
Singal PK, Gupta M, Randhawa AK (Winnipeg/Canada) Reduced myocardial injury due to exogenous oxidants in pressure induced heart hypertrophy 273
Stark G, Stark U, Windisch M, Vicenzi M, Eggenreich U, Nagl S, Kral K, Pilger E, Tritthart HA (Graz/Austria) Comparison of acute electrophysiological effects of amiodarone and its metabolite desethylamiodarone in Langendorff perfused guinea pig hearts 136
Tani M, Neely JR (Tokyo/Japan) Deleterious effects of digitalis on reperfusion-induced arrhythmias and myocardial injury in ischemic rat hearts: possible involvements of myocardial Na^+ and Ca^{2+} imbalance 340
Tio RA, Tobé TJM, Bel KJ, de Langen CDJ, van Gilst WH, Wesseling H (Groningen/The Netherlands) Beneficial effects of bradykinin on porcine ischemic myocardium 107
Tsunetoshi T, Otsuka A, Mikami H, Katahira K, Moriguchi A, Ogihara T (Osaka/Japan) Effect of cromakalim (BRL 34915) on hemodynamic and electrocardiographic changes induced by endothelin in dogs 49
Vandeplassche G, Lu HR, Wouters L, Flameng W, Borgers M (Leuven/Belgium) Normothermic ischemic cardiac arrest in the isolated working rabbit heart: effects of dl-nebivolol and atenolol 21
Veprek P, Batra S, Korecky B, Rakusan K (Ottawa/Canada) Isoproterenol induced rat endomyocardial damage in relationship to local capillary geometry 434
Wong AYK, Klassen GA (Halifax/Canada) Vasomotor coronalary oscillations: a model to evaluate autoregulation 461
Wright C, Weiss HR, Kedem J, Scholz PM (New Jersey/USA) Effect of dopamine on regional myocardial function and oxygen consumption in experimental left ventricular hypertrophy . . 449

Author Index to Volume 86 (1991) 582

Subject Index to Volume 86 (1991) 584

Supplements, appeared in 1991:

Smits JFM, Struyker Boudier HAJ, De Mey JRG, Daemen MJA:
Pharmacology of Cardiac and Vascular Remodeling

Drexler H, Zeiher AM, Bassenge E, Just H:
Endothelial Mechanism of Vasomotor Control

Gülch RW, Kissling G:
Current Topics in Heart Failure